




Price list effective
1st May 2011



Head Office
20 Yiannis crt
Springvale, Vic 3171
Ph: 03 9548 5554
Fax: 03 9548 5513

Contact
www.salter.com.au
sales@salter.com.au

Branches Nationally
Springvale, Melbourne, Vic
Port Adelaide, Adelaide, SA
Willetton, Perth, WA
Lansvale, Sydney, NSW
Geebung, Brisbane, QLD

Sales, Service and Hire • Toll Free 1800 709 870 • Phone 03 9548 5554

Resellers Terms

Dealer and Reseller Discount Structure

Quantities can be “mixed and matched” on both model and/or capacity. Quantity discounts are only applicable to the Light Industrial Weighing Products Section. See discounts on following page.

(Adaptors and spare parts do not apply to the quantity discount).

In addition to Accuweigh – Salter Standard Terms and Conditions of Sale, the following apply.

Minimum order policy.

A handling and processing charge of \$20.00 + GST will be applied to all orders with a total invoice (ex GST and freight) of less than \$100.00.

Freight.

All goods are priced ex-works Springvale, Vic. Freight will be charged unless customer’s carrier has been nominated.

If the customer agrees to accept partial order, a freight charge will apply for each delivery.

Returned goods policy.

When goods are returned due to an order placing error by the customer or any other reason other than as a fault in the goods or by the Company a re-stocking fee of 20% or \$75.00 ex GST will apply (which ever value is higher). Returned goods will only be accepted for re-stocking within 30 days from the date of the original invoice and provided the goods are in “as new” condition complete with original packaging and any manuals. Any handling, packaging and freight charges will not be credited.

Warranty returns.

Goods returned for warranty claim must be returned to the place of purchase, freight prepaid, clearly marked as a warranty claim, with original proof of purchase. **Warranty claims will not be accepted without proof of purchase.** For validated claims the company shall, at it’s option give a credit, repair or supply a replacement free of charge, return freight included. For claims not covered by warranty, a quotation for the repair will be supplied.

Where a customer requests Accuweigh-Salter personnel to attend site to assess a warranty claim, any travel time and expenses will be chargeable.

Prices

List prices may be subject to alteration without notice. All prices quoted exclude GST.

Trade approved scales.

Trade approved scales are only supplied certified when requested. Certification and labour will be charged additionally, no discount applies to the certification/labour.

Head Office

20 Yiannis crt
Springvale, Vic 3171
Ph: 03 9548 5554
Fax: 03 9548 5513

Contact

www.salter.com.au
sales@salter.com.au

Branches Nationally

Springvale, Melbourne, Vic
Port Adelaide, Adelaide, SA
Willetton, Perth, WA
Lansvale, Sydney, NSW
Geebung, Brisbane, QLD

Index

PRODUCT	Page	QUANTITY	
		1-4	5+
LIGHT INDUSTRIAL			
TUBULAR BALANCES			
Little Samson	1	30%	50%
Super Samson	1	30%	50%
Super Samson Baby Scale	1	30%	50%
Model 12	2	30%	50%
DIAL SCALES			
235/6S	3	30%	50%
235/10S	3	30%	40%
235/10X Non-trade	4	30%	50%
235/10X Trade	4	30%	40%
235/10X Trade Double Dial	4	30%	30%
SUSPENDED SCALES			
ElectroSamson	5	30%	50%
BENCH SCALES			
180	6	30%	40%
180 Baby Scale	6	30%	40%
250 6S	6	30%	50%
250 8	7	30%	50%
306	7	30%	50%
405	8	30%	50%
WS	8	30%	50%
COUNTING SCALES			
B120	9	30%	50%
POCKET SCALES			
PB-500	10	30%	50%
FLOOR SCALES			
WS300	11	30%	40%

Head Office
20 Yiannis crt
Springvale, Vic 3171
Ph: 03 9548 5554
Fax: 03 9548 5513

Contact
www.salter.com.au
sales@salter.com.au

Branches Nationally
Springvale, Melbourne, Vic
Port Adelaide, Adelaide, SA
Willetton, Perth, WA
Lansvale, Sydney, NSW
Geebung, Brisbane, QLD

Index

PRODUCT	Page	QUANTITY	
		1-4	5+
COIN COUNTING SCALES			
ECONOCOIN	12	30%	50%

PRODUCT	Page	Discount
HEAVY INDUSTRIAL		
PLATFORM SCALES		
AWB120	13	25%
PRODEC	14	20%
A500	15	20%
BALANCE		
ESA	16	25%
DYNAMOMETERS		
EDJr	17	20%
EDEX	18	20%

Head Office
 20 Yiannis crt
 Springvale, Vic 3171
 Ph: 03 9548 5554
 Fax: 03 9548 5513

Contact
 www.salter.com.au
 sales@salter.com.au

Branches Nationally
 Springvale, Melbourne, Vic
 Port Adelaide, Adelaide, SA
 Willetton, Perth, WA
 Lansvale, Sydney, NSW
 Geebung, Brisbane, QLD

Light Industrial Tubular Balances

Little Samson

Hand Held pocket balance. Durable and robust, housed in a tough ABS plastic housing with corrosion protected top loop and bottom hook.

Capacity	Part number	List price
1.5kg x 25g	02HLS1.5KG	\$45.00
3kg x 50g	02HLS3KG	\$45.00
6kg x 100g	02HLS6KG	\$45.00
10kg x 250g	02HLS10KG	\$45.00



Length at zero load: 130mm
Scale length: 60mm
Extended length: 180mm



Super Samson

Hand Held Spring balance. Durable and robust, housed in a tough ABS plastic housing with corrosion protected top hook and bottom hook. Re-zero (tare) screw and over load protection.

Capacity	Part number	List price
1kg x 5g	02HSS1KG	\$75.00
2kg x 10g	02HSS2KG	\$80.00
5kg x 25g	02HSS5KG	\$85.00
10kg x 50g	02HSS10KG	\$85.00
25kg x 100g	02HSS25KG	\$100.00
2kg x 10g/4lb x 1oz	02HSS2KG/LB	\$80.00
50 N x 0.5N	02HSS50N	\$75.00

Super Samson Baby Scale

Super Samson scale complete with baby sling

Capacity	Part Number	List Price
10 kg x 50g	02HSS10KGBABY	\$95.00
Spare sling	02HSSSLING	\$55.00

Length at zero load: 260mm
Scale length: 120mm
Extended length: 382mm

- All Prices are exclusive of GST and Freight

Head Office
20 Yiannis crt
Springvale, Vic 3171
Ph: 03 9548 5554
Fax: 03 9548 5513

Contact
www.salter.com.au
sales@salter.com.au

Branches Nationally
Springvale, Melbourne, Vic
Port Adelaide, Adelaide, SA
Willetton, Perth, WA
Lansvale, Sydney, NSW
Geebung, Brisbane, QLD


Light Industrial Tubular Balances

Model 12

Hand Held pocket balance. Durable and robust, housed in a tough ABS plastic housing with corrosion protected top loop and bottom hook.

Capacity	Part number	List price
1N x 0.01N	02H12-1N	\$65.00
10N x 0.1N	02H12-10N	\$65.00
30N x 0.5N	02H12-30N	\$65.00
100N x 1.0N	02H12-100N	\$65.00

Capacity	Part number	List price
1000g x 10g	02H121000GM	\$65.00



Length at zero load: 200mm
 Scale length: 100mm
 Extended length: 300mm

Variety of tubular balances reduced to clear

Model	Capacity	Part number	List price
Model 12 100g	100g x 1g	02H12100GM	\$30.00
Model 12 200g	200g x 2g	02H12200GM	\$30.00
Model 12 2N	2N x 0.02N	02H12NEWTON2	\$30.00
Model 12 5N	5N x 0.5N	02H12NEWTON5	\$30.00
Model 3 3kg	3kg x 50g	02H33KG	\$30.00
Super Samson 1N	1N x 0.01N	02HSSNEWT1	\$30.00
Super Samson 2N	2N x 0.02N	02HSSNEWT2	\$30.00
Little Samson 15N	15N x 0.5N	02HLSNEWT15	\$20.00
Little Samson 25N	25N x 1N	02HLSNEWT25	\$20.00
Little Samson 100N	100N x 5N	02HLSNEWT100	\$20.00

- All Prices are exclusive of GST and Freight

Head Office
 20 Yiannis crt
 Springvale, Vic 3171
 Ph: 03 9548 5554
 Fax: 03 9548 5513

Contact
 www.salter.com.au
 sales@salter.com.au

Branches Nationally
 Springvale, Melbourne, Vic
 Port Adelaide, Adelaide, SA
 Willetton, Perth, WA
 Lansvale, Sydney, NSW
 Geelong, Brisbane, QLD

Light Industrial Dial Scales

Model 235 6S

Compact, robust and corrosion resistant, 150mm (6") diameter dial housed in a tough ABS plastic case with a shatterproof polycarbonate dial cover. Low friction Acetal bearings provide positive movement to give maximum sensitivity. Accurate to 1 part in 250 with up to 15% zero adjustment.

Capacity	Part number	List price
5kg x 20g	02RS5KG	\$140.00
10kg x 50g	02RS10KG	\$140.00
25kg x 100g	02RS25KG	\$140.00
50kg x 200g	02RS50KG	\$140.00
100kg x 500g	02RS100KG	\$140.00
5kg x 20g / 11lb x 1 oz	02RS5KG/LB	\$160.00
10kg x 50g / 22lb x 2 oz	02RS10KG/LB	\$160.00
25kg x 100g / 56lb x 4 oz	02RS25KG/LB	\$160.00
50kg x 200g / 110lb x 8 oz	02RS50KG/LB	\$160.00
100kg x 500g / 220lb x 1 lb	02RS100KG/LB	\$160.00
Options		
Egg Scoop, includes fittings (475 x 350mm)	235ES	\$260.00
Lazy Finger (Peak Hold)	LF	\$120.00
Baby Trousers (Baby weighing)	02RTROUSERS	\$25.00



Model 235 10S

Robust and corrosion resistant, large easy to read 254mm (10") diameter dial housed in a tough ABS plastic case with a shatterproof polycarbonate dial cover. Nylon bearings provide positive movement to give maximum sensitivity. Accurate to 1 part in 500 with up to 10% zero adjustment.

Capacity	Part number	List price
5kg x 10g	02TS5KG	\$235.00
10kg x 20g	02TS10KG	\$235.00
25kg x 50g	02TS25KG	\$235.00
50kg x 100g	02TS50KG	\$235.00
100kg x 200g	02TS100KG	\$235.00
Option		
Egg Scoop, includes fittings (475 x 350mm)	235ES	\$260.00



- All Prices are exclusive of GST and Freight

Head Office
20 Yiannis crt
Springvale, Vic 3171
Ph: 03 9548 5554
Fax: 03 9548 5513

Contact
www.salter.com.au
sales@salter.com.au

Branches Nationally
Springvale, Melbourne, Vic
Port Adelaide, Adelaide, SA
Willetton, Perth, WA
Lansvale, Sydney, NSW
Geebung, Brisbane, QLD

Light Industrial Dial Scales

Model 235 10X

Heavy duty Trade approved suspended scale. 254mm (10") diameter easy to read dial housed in a robust grey die cast casing with low friction ball race bearings, up to 10kg and nylon bearings up to 300kg, provide positive movement to give maximum sensitivity.

Available in a wide variety of build options.

10% Zero adjustment for non-trade versions.

2% zero adjustment for trade versions.

Capacity	Part number	Legal	Charts	List price
10kg x 20g	02T235S010	Non-trade	Single	\$460.00
100kg x 200g	02T235S100	Non-trade	Single	\$485.00
200kg x 500g	02T235S200	Non-trade	Single	\$485.00
300kg x 1kg	02T235S300	Non-trade	Single	\$595.00
100kg x 200g	02T235S100T	Trade	Single	\$560.00
10kg x 20g	02T235D010T	Trade	Double	\$865.00
Limited Stock				
5kg x 10g	02T235S005	Non-trade	Single	\$460.00
25kg x 50g	02T235S025	Non-trade	Single	\$460.00
50kg x 100g	02T235S050	Non-trade	Single	\$485.00
Options				
Egg Scoop , includes fittings (475 x 350mm)	235ES			\$260.00



- All Prices are exclusive of GST and Freight
- Trade scales can only be used for trade when certified by a trade measurement licensee.
- Above prices do not include certification.
- The 5kg, 25kg and 50kg are only available while stocks last.

Head Office
20 Yiannis crt
Springvale, Vic 3171
Ph: 03 9548 5554
Fax: 03 9548 5513

Contact
www.salter.com.au
sales@salter.com.au

Branches Nationally
Springvale, Melbourne, Vic
Port Adelaide, Adelaide, SA
Willetton, Perth, WA
Lansvale, Sydney, NSW
Geebung, Brisbane, QLD

Light Industrial Suspended Scales

Electrosamson

Battery powered hand held electronic digital balance.

Suitable for a wide variety of applications from poultry weighing, fishing through to fire extinguisher and general purpose suspended weighing.

Key features: kg/lb/oz switching, display hold, padded carrying pouch with belt clip and auto shutoff to maximize battery life.

Display LCD display (4 x 13mm high digits)
Fittings Top T bar and bottom hook

Capacity	Part number	List price
10kg x 10g / 22lb x ¼ oz	04HSS10KG	\$255.00
25kg x 20g / 55lb x ½ oz	04HSS25KG	\$255.00
45kg x 50g / 99lb x 1 oz	04HSS45KG	\$305.00



- All Prices are exclusive of GST and Freight

Head Office
20 Yiannis crt
Springvale, Vic 3171
Ph: 03 9548 5554
Fax: 03 9548 5513

Contact
www.salter.com.au
sales@salter.com.au

Branches Nationally
Springvale, Melbourne, Vic
Port Adelaide, Adelaide, SA
Willetton, Perth, WA
Lansvale, Sydney, NSW
Geebung, Brisbane, QLD

Light Industrial Bench Scales

Model 180

Dual marked multi functional mechanical bench scale, comprises of a robust mild steel mechanism housed in a high impact ABS case with a large hygienic stainless steel top plate.

Display size: 180mm diameter
 Fittings: 2kg, 5kg 203mm x 152mm stainless steel top plate
 15kg 305mm x 203mm stainless steel top plate

Model 180 with flat plate

Capacity	Part number	List
2kg x 10g / 4.5lb x 1/4 oz	02B1802KFP	\$235.00
5kg x 20g / 11lb x 1 oz	02B1805KFP	\$235.00
15kg x 50g / 33lb x 2 oz	02B18015KFP	\$235.00

Model 180 with Oblong Pan, Mechanical Baby Scale.

Capacity	Part number	List
15kg x 50g	02B18015BABY	\$295.00



The Salter Brecknell Model 250-6S top loading 150mm, 6", dial scale is ideal for a variety of applications with fixed weight limits. Designed for the food service industry, the scale features stainless steel platform, easy-to-read fixed dual marked dials with large pointers, dashpot for fast readings and sturdy construction. Choose from 1, 5 or 10kg capacities all in stainless steel. Supplied with removable stainless steel bowl
 Plate size: 200mm x 200mm

Model 250 6S

Capacity	Part number	List
1kg x 5g / 32oz x 1/4oz	250-6S-1	\$200.00
5kg x 20g / 11lb x 1oz	250-6S-5	\$200.00
10kg x 50g / 22lb x 2oz	250-6S-10	\$200.00



- All Prices are exclusive of GST and Freight

Head Office
 20 Yiannis crt
 Springvale, Vic 3171
 Ph: 03 9548 5554
 Fax: 03 9548 5513

Contact
 www.salter.com.au
 sales@salter.com.au

Branches Nationally
 Springvale, Melbourne, Vic
 Port Adelaide, Adelaide, SA
 Willetton, Perth, WA
 Lansvale, Sydney, NSW
 Geelong, Brisbane, QLD

Light Industrial Bench Scales

Model 250 8

Capacity	Part number	List price
10kg x 50g / 22lb x 2oz	250-8-10	\$350.00
30kg x 100g / 66lb x 4oz	250-8-30	\$350.00
60kg x 200g / 130lb x 8oz	250-8-60	\$350.00



The Model 250-8 is an 8" mechanical scale with a fixed weight dial and is easy-to-read from a distance. The dual marked dial shows simultaneous readings of pounds and kilograms. The powder coated finish and sturdy construction make this multi-purpose scale suitable for many weighing applications. Choose from 10kg, 30kg or 60kg capacities in gray mild steel finish.

306

Battery and mains powered electronic bench scale. Suitable for weighing up to 5kg x 1g. Power adapter supplied as standard. Key features includes display hold for weighing large items, kg / lb units switching, removable stainless steel top plate for ease of cleaning and auto shut off to maximise battery life.

Capacity: 5000g x 1g
 Display size: LCD display (4 x 13mm high digits)
 Fittings: 130mm x 195mm, stainless steel weight platter
 Power: Adaptor and 4 x AA batteries (not supplied)

Capacity	Part number	List price
5kg x 1g	306	\$290.00



- All Prices are exclusive of GST and Freight

Head Office
 20 Yiannis crt
 Springvale, Vic 3171
 Ph: 03 9548 5554
 Fax: 03 9548 5513

Contact
 www.salter.com.au
 sales@salter.com.au

Branches Nationally
 Springvale, Melbourne, Vic
 Port Adelaide, Adelaide, SA
 Willetton, Perth, WA
 Lansvale, Sydney, NSW
 Geelong, Brisbane, QLD

Light Industrial Bench Scales

405

Low cost, Battery or mains powered, electronic bench scale available in 6kg or 15kg capacities. The model 405 is ideal for any application where accurate weighing is required. The large stainless steel weigh plate and bright red LED display are features normally only found on machines which are much more expensive. Internal rechargeable battery giving 160 hours use makes the machine totally portable or the 405 can be mains powered via the adaptor supplied. Simple two button keyboard - on / off / zero and tare / units. The model 405 can display in kgs, grams, ounces, pounds and ounces and decimal pounds.

Display size: 17mm high red LED

Fittings: 245mm x 215mm stainless steel top plate

Capacity	Part number	List price
6kg x 1kg	405-6	\$330.00
15kg x 2kg	405-15	\$330.00



WS

Battery and mains powered bench scale with four full load bridge loadcells ideal for a wide variety of warehouse and light industrial applications. Key features include kg/lb units switching, wall mountable display and auto shut off to maximise battery life.


Capacity: 60kg x 0.02kg / 130lb x 0.05lb or 120kg x 0.05kg / 260lb x 0.1lb

Display size: LCD display (4 x 17mm high digits)

Fittings: 380mm x 300mm stainless steel top plate

Power adaptor supplied with unit

Capacity	Part number	List price
60kg x 0.02kg / 130lb x 0.05lb	WS60	\$370.00
120kg x 0.05kg / 260lb x 0.1lb	WS120	\$370.00



- All Prices are exclusive of GST and Freight

Head Office
20 Yiannis crt
Springvale, Vic 3171
Ph: 03 9548 5554
Fax: 03 9548 5513

Contact
www.salter.com.au
sales@salter.com.au

Branches Nationally
Springvale, Melbourne, Vic
Port Adelaide, Adelaide, SA
Willetton, Perth, WA
Lansvale, Sydney, NSW
Geebung, Brisbane, QLD

Counting Scale

B120

The Salter B120, is an accurate and portable weigh and count scale. It is able to be powered by mains via the adaptor included. It also has the added feature of an internal rechargeable battery, allowing the B120 to be easily move to where it is needed.

The B120 has 3 15mm High Red LED displays, weigh, piece weight and count.

The B120 has the added functions of accumulate, setting of upper and lower limits, standard tare, kg/lb and auto-off functions.



The B120 is an economical feature packed counting scale with 3 capacities to suit your needs.

Capacity	Part number	List price
6kg x 1g	B120/6	\$490.00
15kg x 2g	B120/15	\$490.00
30kg x 5g	B120/30	\$490.00

- All Prices are exclusive of GST and Freight

Head Office

20 Yiannis crt
Springvale, Vic 3171
Ph: 03 9548 5554
Fax: 03 9548 5513

Contact

www.salter.com.au
sales@salter.com.au

Branches Nationally

Springvale, Melbourne, Vic
Port Adelaide, Adelaide, SA
Willetton, Perth, WA
Lansvale, Sydney, NSW
Geebung, Brisbane, QLD

Light Industrial Pocket Scales

PB500

Multi- functional low cost pocket balance with weight displayed in grams, ounces, dwt, and ounce-troy.

Key features include counting, Tare and auto shut off to Maximise battery life

Housed in a stylish compact case with a built in protective cover which can also acts as a draft shield when the balance is in use.

Supplied complete with two AAA batteries.

Display: *LCD (13 mm high 5 digit)*
Weight platter: 61mm x 75mm



Capacity	Part number	List price
500g x 0.1g	PB-500	\$240.00

- All Prices are exclusive of GST and Freight

Head Office
20 Yiannis crt
Springvale, Vic 3171
Ph: 03 9548 5554
Fax: 03 9548 5513

Contact
www.salter.com.au
sales@salter.com.au

Branches Nationally
Springvale, Melbourne, Vic
Port Adelaide, Adelaide, SA
Willetton, Perth, WA
Lansvale, Sydney, NSW
Geebung, Brisbane, QLD

10

Sales, Service and Hire • Toll Free 1800 709 870 • Phone 03 9548 5554

Industrial Floor Scales

WS300

Mains and battery powered (not supplied), four loadcell, electronic floor scales, which can be utilised in a wide variety of non trade warehouse and light industrial applications.


Key features include kg / lb unit switching, display hold, wall or bench mounting display, auto shut off to maximise battery life. Stainless steel top plate

Capacity: 300kg x 50g

Display size: LCD display (5 1/2 x 17mm high digits)

Platform: 900mm x 550mm epoxy coated top plate and rubber mat

Capacity	Part number	List price
300kg x 50g	WS300	\$944.00



- All Prices are exclusive of GST and Freight

Head Office
20 Yiannis crt
Springvale, Vic 3171
Ph: 03 9548 5554
Fax: 03 9548 5513

Contact
www.salter.com.au
sales@salter.com.au

Branches Nationally
Springvale, Melbourne, Vic
Port Adelaide, Adelaide, SA
Willetton, Perth, WA
Lansvale, Sydney, NSW
Geebung, Brisbane, QLD

Light Industrial Coin Counting

Econocoin II

The Salter Econocoin II electronic coin checker is ideal for quick weighing of loose or bagged coins. Features include sealed membrane push buttons for coin denomination selection, on/zero and off, a 132mm x 160mm stainless steel weighing platform. The easy to read 10.5mm high character LCD, displays either weight or coin value. The display also indicates the currently selected coin denomination. Use of the zero key allows elimination of any container weight. The Econocoin II is powered by a 9V battery (not supplied), or an optional 9V mains adaptor, and features an auto-off function.

Capacity	Part number	List price
0 - 1kg x 1g / 1kg - 2kg x 2g	04-ECONOCOIN	\$300.00
Mains Adaptor (optional)	Adaptor 2	\$25.00



Note: Due to the official piece weight variation of Australian \$2 coins (+/- 0.26g), we advise that \$2 coins are counted to a maximum of \$50 (25).

Prices are exclusive of GST and Freight

Head Office
20 Yiannis crt
Springvale, Vic 3171
Ph: 03 9548 5554
Fax: 03 9548 5513

Contact
www.salter.com.au
sales@salter.com.au

Branches Nationally
Springvale, Melbourne, Vic
Port Adelaide, Adelaide, SA
Willetton, Perth, WA
Lansvale, Sydney, NSW
Geebung, Brisbane, QLD

12

Sales, Service and Hire • Toll Free 1800 709 870 • Phone 03 9548 5554

Industrial Platform Scale

AWB120

The Avery Weightronix AWB 120 is a quality manufactured base. The visible stand out feature is the large LCD, 52mm high seven segment display with configurable back light display.

The hidden feature is the die cast aluminium base, many lower priced bases are tube welded together, which have higher chance of flexing and do not have the longevity of the cast base.

The AWB 120 is trade approved to 3000 divisions, but can be put into non trade mode and operated with higher resolution.

The AWB120 is able to be powered by mains adaptor or the internal rechargeable battery.

Capacity	Part number	List price
60kg x 20g trade/60kg x 10g non-trade	AWB120/60	\$920.00
150kg x 50g trade/150kg x 20g non-trade	AWB120/150	\$920.00
300kg x 100g trade/300kg x 50g non-trade	AWB120/300	\$920.00
RS232 Option	AWB120 RS232	\$190.00



- All Prices are exclusive of GST and Freight

Head Office
20 Yiannis crt
Springvale, Vic 3171
Ph: 03 9548 5554
Fax: 03 9548 5513

Contact
www.salter.com.au
sales@salter.com.au

Branches Nationally
Springvale, Melbourne, Vic
Port Adelaide, Adelaide, SA
Willetton, Perth, WA
Lansvale, Sydney, NSW
Geebung, Brisbane, QLD

Industrial Floor Scale

Prodec


Industrial Heavy Duty platform scale TRADE Approved NMI NO. 6/9C/235A
 Capacities 800kg x 0.2kg, 2000kg x 0.5kg, 2500kg x 1kg, 5000kg x 2kg or 10,000kg x 5kg
 Made in Australia
 Mild steel checker plate (grey finish)
 Standard Size 1200mm x 1200mm x 85mmH(very low profile)
 (other sizes and capacities custom built to maximum 6m sq., e.g 3m x 2m size available)
 Mild steel Weigh bars with stainless steel feet
 J/Box top plate cut out is standard (easier for field calibrations)
 Supplied on application with industrial Quality indicator 240V, on 5m cable with Wall mount bracket, indicator price not included.
 Options: Ramp shown in picture is optional extra (P.O. A), Trade certification.

Features of PRODEC

Avery Weigh-Tronix Weigh bars offer 150% overload protection (100% end load)
 End loading and torsion loads easily overcome by canister design Weigh bars
 Weigh bars are tough and well sealed for wet environments
 Ideal for very heavy duty industries and high accuracy
 Variety of capacities and dimensions available

Capacity	Dimension	Part number	List price
2000kg x 0.5kg	1200 x 1200mm	DSL1200T	\$2,850.00
2000kg x 0.5kg	1200 x 1200mm	DSL1200T+E1005*	\$3,345.00

*Supplied with an Avery Weightronix E1005



Patented Weigh Bars®

- All Prices are exclusive of GST and Freight

Head Office
 20 Yiannis crt
 Springvale, Vic 3171
 Ph: 03 9548 5554
 Fax: 03 9548 5513

Contact
 www.salter.com.au
 sales@salter.com.au

Branches Nationally
 Springvale, Melbourne, Vic
 Port Adelaide, Adelaide, SA
 Willetton, Perth, WA
 Lansvale, Sydney, NSW
 Geelong, Brisbane, QLD

Industrial Floor Scale

A500

Industrial platform scale TRADE Approved.
Made in Australia

Mild steel checker plate, galvanised.
Standard Size 1200mm x 1200mm.

(other sizes and capacities custom built, POA)

Shear beam 1t loadcells, fitted with swivel feet.


J/Box top plate cut out is standard (easier for field calibrations)

Supplied on application with industrial Quality indicator 240V, with 5m cable and wall mount bracket, indicator price not included.

Options: Ramp available as optional extra (P.O. A), Trade certification.

Capacity	Dimension	Part number	List price
3000kg x 1kg	1200 x 1200mm	A500	\$2,250.00
3000kg x 1kg	1200 x 1200mm	A500+E1005*	\$2,695.00

*Supplied with an Avery Weightronix E1005



E1005
(Option)

- All Prices are exclusive of GST and Freight

Head Office
20 Yiannis crt
Springvale, Vic 3171
Ph: 03 9548 5554
Fax: 03 9548 5513

Contact
www.salter.com.au
sales@salter.com.au

Branches Nationally
Springvale, Melbourne, Vic
Port Adelaide, Adelaide, SA
Willetton, Perth, WA
Lansvale, Sydney, NSW
Geebung, Brisbane, QLD

15

Balance

ESA

The Salter ESA, is an economical precision balance. All units are supplied with a robust plastic housing, dual powered, supplied with an AC adaptor, (batteries not included), bi-directional RS232.

Features include:-

- 7 selectable units: g, oz, ozt, dwt, lb. ct. %pc
- Draft shield included for 300g and 600g models
- Blue backlit LCD
- Counting function
- Tare function
- Simple Operation



Capacity	Part number	List price
300 x 0.005g	ESA-300	\$545.00
600 x 0.01g	ESA-600	\$545.00
3000 x 0.05g	ESA-3000	\$595.00
6000 x 0.1g	ESA-6000	\$595.00

- All Prices are exclusive of GST and Freight

Head Office

20 Yiannis crt
Springvale, Vic 3171
Ph: 03 9548 5554
Fax: 03 9548 5513

Contact

www.salter.com.au
sales@salter.com.au

Branches Nationally

Springvale, Melbourne, Vic
Port Adelaide, Adelaide, SA
Willetton, Perth, WA
Lansvale, Sydney, NSW
Geebung, Brisbane, QLD

Industrial Dynamometer

ED Junior electronic Dynamometer and Crane Scale- Dillon

The ED Junior provides peak detection as well as sustained load reading. Selectable units of measure include lbf, kgf and Newtons. The load element design and strain gauges chosen for the ED Junior produce an accuracy of 0.2% (full scale). This level of precision offers flexibility for use in a broad range of applications. Readings are displayed with a resolution of 1 part in 1000 to ensure the level of readability required for critical lifting applications.

Features include:


- Dillon SOFTKEY interface display features 26mm high numerals for greater visibility
- Made of aircraft quality aluminium
- Power is supplied by two C-cell batteries which with the ED junior's low power consumption last typically over 200 hours
- At home in virtually any environment and ideally suited to exterior job-site applications as well as in-plant use



ED Jr Crane option

Capacity	Part number	List price
1,000kg x 1kg	EDJ-1T	\$1,940.00
2,000kg x 2kg	EDJ-2T	\$2,110.00
5,000kg x 5kg	EDJ-5T	\$2,250.00
10,000kg x 10kg	EDJ-10T	\$3,160.00
Option		
1t Case	EDJ1T-CASE	\$170.00
2t Case	EDJ2T-CASE	\$170.00
5t Case	EDJ5T-CASE	\$280.00
10t Case	EDJ10T-CASE	\$280.00

Note all EDJ versions above come with 2 shackles
Optional hook version, crane, P.O.A



- All Prices are exclusive of GST and Freight

Head Office
20 Yiannis crt
Springvale, Vic 3171
Ph: 03 9548 5554
Fax: 03 9548 5513

Contact
www.salter.com.au
sales@salter.com.au

Branches Nationally
Springvale, Melbourne, Vic
Port Adelaide, Adelaide, SA
Willetton, Perth, WA
Lansvale, Sydney, NSW
Geebung, Brisbane, QLD

17

Industrial Dynamometer

ED Extreme electronic- Dillon

Electronic Dynamometer with 0.1% accuracy and remote option.
 Popular industry-standard shackles ensure proper fit
 Battery compartment – easy access without tools
 Sturdy aircraft-quality aluminium or plated alloy steel case on high capacity models
 High resolution dot matrix LCD display
 Injection moulded with thick Lexan panels
 Softkey interface
 Designed for weather and water resistance
 Normal and Enhanced mode for increased resolution

Note: All above EDEX versions come with 2 shackles,
 EDEX and Communicator come with carry case.
 EDEX 20t and above, have a separate case for the shackles
 Optional Crane version with swivel hook P.O.A



EDEX



EDEX Communicator



EDEX Crane option

Capacity	Part number	List price
1,000kg x 1/0.2 kg	EDEX-11	\$3,580.00
2,000kg x 2/0.5 kg	EDEX-21	\$3,850.00
5,000kg x 5/1 kg	EDEX-51	\$4,400.00
10,000 x 10/2 kg	EDEX-101	\$5,260.00
20,000 x 20/5 kg	EDEX-201	\$6,290.00
50,000 x 50/10 kg	EDEX-501	\$11,220.00
100,000 x 100/20 kg	EDEX-1001	\$26,000.00
200,000 x 200/50kg	EDEX-2001	POA
Option		
Remote Radio Communicator	EDEX-COM	\$1,985.00

- All Prices are exclusive of GST and Freight

Head Office
 20 Yiannis crt
 Springvale, Vic 3171
 Ph: 03 9548 5554
 Fax: 03 9548 5513

Contact
 www.salter.com.au
 sales@salter.com.au

Branches Nationally
 Springvale, Melbourne, Vic
 Port Adelaide, Adelaide, SA
 Willetton, Perth, WA
 Lansvale, Sydney, NSW
 Geelong, Brisbane, QLD

Terms and Conditions

1. GENERAL

These terms and conditions shall apply to the exclusion of all others including any terms and conditions of the Customer (whether on the Customer's order form or otherwise). The Customer acknowledges that these terms and conditions embody the whole agreement between the parties and agree to be bound by them.

2. PAYMENT

Payments shall be made by the Customer to the Company for all goods supplied, work and labour done and services rendered within 30 days from the date of the invoice. The Customer acknowledges that time is of the essence with regard to payment and that any breach of this term will enable the company to exercise all of its rights contained herewith including (but without in any way limiting its rights) the right to cancel further credit and to take legal action for the recovery of all sums outstanding.

3. INTEREST

Should payment remain outstanding beyond the Company's payment terms as outlined in clause 2 above the Customer agrees to pay interest on all amounts outstanding from the due date until the date of payment at a rate equal to the Company's then current overdraft rate as varied from time to time.

4. COSTS

Should payment remain outstanding beyond the Company's payment terms as outlined in clause 2, the Customer is liable for all costs including legal costs (on a Solicitor/own client basis) and mercantile agents fees incurred by the Company in recovering the amount outstanding.

5. DELIVERY

Goods shall be delivered to the address specified in the credit application as the address for delivery unless otherwise agreed to in writing between the parties.

In the event that a delivery date is specified by the Customer, the Company shall use its best endeavours to comply with the customer's requests. In no circumstances will the Company be liable for any loss of damage of any kind whatsoever in the event that it is not able to comply with the Customer's requests for delivery at a certain time. The Customer acknowledges and agrees that it will not make any claim against the Company for any loss or damage incurred as a result of late delivery.

The goods will be delivered by the Company to the Customer and the Customer will be responsible for payment of any additional delivery, packaging and handling costs.

6. CLAIMS

(a) The Customer will be deemed to have accepted the goods as being in accordance with its order unless it notifies the Company in writing of its claim within 14 days of receipt of the goods.

No return of allegedly defective goods will be accepted by the Company unless it has given prior written authorisation for the return.

7. WARRANTY

All warranties whether expressed or implied and whether statutory or otherwise with regard to the goods supplied by the Company as to quality, fitness for purpose or any other matter as hereby excluded in so far as any such warranties are incapable of excluding the law.

The Company warrants to the customer that products purchased will under correct use and maintenance be free from defects due solely to faulty workmanship or materials for a period of 12 months from the date of delivery. The Company extends this warranty to the extent that when duly authorised and upon return to the Company freight prepaid the Company shall at its option give a credit, repair or supply a replacement. Any modifications or repairs made to the product without prior written authorisation of the Company shall invalidate this warranty. Replacement of parts shall not extend the warranty beyond the original 12 months and no separate warranty is provided for such parts.

- All Prices are exclusive of GST and Freight

Head Office

20 Yiannis crt
Springvale, Vic 3171
Ph: 03 9548 5554
Fax: 03 9548 5513

Contact

www.salter.com.au
sales@salter.com.au

Branches Nationally

Springvale, Melbourne, Vic
Port Adelaide, Adelaide, SA
Willetton, Perth, WA
Lansvale, Sydney, NSW
Geebung, Brisbane, QLD

Terms and Conditions

8. CHANGE OF OWNERSHIP

The Customer agrees to notify the Company in writing of any change of ownership of the Customer within seven (7) days from the date of such change and indemnifies the Company against any loss or damage

9. CANCELLATION

Orders placed with the Company cannot be cancelled without the written approval of the Company. In the event that the Company accepts the cancellation of any order placed with it shall be entitled to charge a reasonable fee for any work done on behalf of the Customer to the date of the cancellation including a fee for the processing and acceptance of the Customer's order and request for cancellation.

10. LIEN

The Customer hereby acknowledges that the Company has a lien over all goods in its possession belonging to the Customer to secure payment of any or all amounts outstanding from time to time.

11. JURISDICTION

The proper law of all contracts arising between the Company and the Customer is the law of the State of Victoria and the

parties agree to submit to the jurisdiction of the Courts of the State.

12. TITLE

Property in any article sold by the Company shall not pass from the Company to the Purchasers until the Purchaser has paid for the article in full and all cheques and other negotiable instruments have been cleared. The risk of loss or damage to the article shall be entirely at the risk of the Purchaser upon delivery to the Purchaser. If any payment for any article sold by the Company is overdue or if the Purchaser pays the Company by Cheque (in full or in part) and such cheque is not met on presentation by the Company, the Company reserves the right to retake physical possession of the goods in full or partial satisfaction of the debt and for this purpose the Purchaser hereby consents to the Company or its agents or servants entering up on the

Purchasers premises. Monies owed by the Purchaser to the Company shall become due immediately upon the commencement of any act or proceeding in which the Purchaser's solvency is involved.

13. GOODS AND SERVICES TAX (GST)

GST will be charged on all taxable goods and services at the rate ruling at the time of dispatch.

14. TRADE APPROVED SCALES

Trade scales can only be used for trade when a trade measurement certifier has certified them.

- All Prices are exclusive of GST and Freight

Head Office

20 Yiannis crt
Springvale, Vic 3171
Ph: 03 9548 5554
Fax: 03 9548 5513

Contact

www.salter.com.au
sales@salter.com.au

Branches Nationally

Springvale, Melbourne, Vic
Port Adelaide, Adelaide, SA
Willetton, Perth, WA
Lansvale, Sydney, NSW
Geebung, Brisbane, QLD